

All these Prices are subject to a



* *

Write for Discount.

* *

GRAF, MORSBACH & CO. CINCINNATI, O.

Digitized by the Internet Archive in 2011 with funding from Boston Library Consortium Member Libraries

http://www.archive.org/details/catalogue00graf

Əllay 25th, 1897.

HARNESS SADDLES COLLARS BRIDLE ETC 00001 COMPLETE AN FN CONCERN EVERY DOING THE MOST SINESS LAND. THROUGHOUT THE ALOCK FREEMAN FLINT & FAULKNER STS

N BUYING HARNESS made by Graf, Morsbach & Co., dealers get a reliable article, well known to the STADE in most of the States. Harness that shall sell well must not only look well but wear well.

Such is the character of the goods we offer. No rish is run in trying us.

In a pamphlet of this fimited size it is possible to show only a few leading styles.

Dealezs interested are hindly invited to write us for discounts. The prices named in this book will leave you a good margin of profit if used in selling any of the harness shown.

WE DO NOT SELL TO THE CONSUMER.


VERY CHEAP, BUT NOT AS POOR AS SOME OTHERS MAKE.

SINGLE BUGGY HARNESS, No. 0305.

CIN.

BRIDLE—% inch, flat reins or overcheck, patent-leather blinds. BREAST COLLAR—Folded, 1-inch tračes attached. SADDLE—2% inch, iron jockey, donbled and stitched back bands. BREECHNG—Folded, flat dock, flat hip strap and turnback. SHAFT TUGS—Doubled and stitched; flat belly bands. LINES—¾ inch, flat. No martingale. TRIMMINGS—C plate. Made also with collar and hames. COLLAR—Black bnggy. HAMES—Iron, C plate or japanned, with traces attached.

THE FOLDS ARE CALFSKIN, WHICH PREVENT CHAFING.



- BRIDLE—5% inch, box loops, patent-leather front, round sewed winker stays, overcheck with nose piece.
- BREAST COLLAR Calfskin fold, with scolloped layer, doubled and stitched, with box loops, traces to buckle on. Neck strap, patent leather, doubled and stitched.
- GIG SADDLE—Hand laced, swell pattern, patent-leather skirts, enameledleather bottom, patent-leather jockeys, long track tree, 3 inch.
- . SHAFT TUGS-Track style, doubled and stitched, with box loops.
- BREECHING-Calfskin fold, with scolloped harness-leather layer, doubled and stitched, 3-ring, doubled and stitched stays, with box loops, %-inch breeching straps, %-inch solid waved and scolloped turnback, %-inch, smooth finish hip straps, round crupper.
- BELLY BANDS-Calfskin, folded, doubled and stitched, with harness-leather layer, Griffith style:

TRACES—Single strap, with doubled and stitched ends, 1¹8 inch. LINES—Flat, black, spring end, % x 1½ inch,


THIS GRADE IS AT THE FRONT OF THE PROCESSION.



SINGLE BUGGY HARNESS, No. 709.

- BRIDLE-% inch, box loops, flat reins OR OVERCHECK, chain front, patentleather blinds.
- BREAST COLLAR-Connected, 1%-inch traces, single strap, doubled and stitched ends, edge creased.
- GIG SADDLE-Single strap, 2½-inch tree, 3½-inch stuffed drill bottom, double and stitched back bands.

BREECHING—Single strap, doubled and stitched stays, ¾-iuch turnback, round CRUPPER, edge creased.
SHAFT TUGS—Doubled and stitched.
BELLY BANDS—Flat, 1½ inch, Griffith buckles.
LINES—% inch, black. No martingale.
TRIMMINGS—Nickel band, wire ball or Davis rubber.



IT SELLS RAPIDLY.




SINGLE STRAP TRACK HARNESS, No. 710 1/2.

- BRIDLE—% inch, with box loops, overcheck, round sewed winker stays, chain front.
- BREAST COLLAR—Edge creased, with 1%-inch single strap traces attached with scolloped layer.
- GIG SADDLE-2½-inch, single strap, beveled edge, iron jockey tree, 1-inch back band, 2-inch skirt, enameled-leather bottom pad.

SHAFT TUGS—Doubled and stitched, track style. BREECHING—Single strap, doubled and stitched stays, waved and scolloped turnback and hip strap, with edge creased.

BELLY BAND-1½ inch, single strap, Griffith style, LINES-¾ x ⅔ inch, black, flat. TRIMMINGS-Full nickel or Davis rubber throughout.



No. 711½. Price per set. Full Nickel, Breast Collar.....\$10 30 Full Davis Rubber, Breast Collar......10 30



SINGLE STRAP HARNESS, No. 711 1/2.

- BRIDLE-5% iuch, box loops, overcheck, with round sewed winker stays, chain front.
- BREAST COLLAR-2½ inch, V curved shape, with 1½-inch traces attached, single strap.
- GIG SADDLE—Single strap, with patent-leather jockeys, swell pad, low set terrets, 21%-inch skirts, swinging back band, 1-inch doubled and stitched.

SHAFT TUGS-Doubled and stitched, track style.

- **BREECHING**—Single strap, with scolloped and stitched layer, doubled and stitched stays, ¾-inch turnback scolloped and stitched, scolloped hip straps,
- BELLY BANDS -11/2 inch, single strap, Griffith style.
- LINES-% x 1 inch, black, spring end.
- TRIMMINGS-Full nickel or Davis rubber throughout.
- _____

FANCY STAMP ON BREECHING AND BREAST COLLAR. BALANCE SMOOTH, ROUND-EDGE FINISH. VERY NICE.

No. 715. Price per set. Nickel, Breast Collar.........\$11 50 Davis Rubber, Breast Collar.. 11 50



SINGLE STRAP TRACK HARNESS, No. 715.

BRIDLE-% inch, box loop, round sewed winker stays, patent-leather front. BREAST COLLAR-1¾-inch curved, heavy single strap, with fancy stamp, 1¾-inch traces attached.


GIG SADDLE—Machine laced, Kersey bottom, patent-leather jockeys, track style, patent-leather skirts, 1-inch back bands, doubled and stitched.

SHAFT TUGS-Doubled and stitched, track style.

BELLY BANDS-IM-inch, doubled and stitched, Griffith style.

BREECHING—1½ iuch, with fancy stamp, beavy single strap with solid turnback, scolloped, %-inch breeching strap, and ¾-inch hip straps.

LINES—% x 1 inch, black, spring end. TRIMMINGS—Full nickel or Davis rubber throughout,



SINGLE STRAP TRACK HARNESS, No. 617.

- BRIDLE—% inch, box loops, round reins or overcheck, fancy front, patentleather blinds.
- BREAST COLLAR—Single strap leather, with 1%-inch traces sewed on ends, doubled and stitched, all round-edge finish.
- GIG SADDLE—Hand laced, 2¾ inch, with leather jockey, enameled-leather bottom, double and stitched back bands, %-inch billets, patent-leather skirts.

SHAFT TUGS-Doubled and stitched, track style.

BREECHING-Single strap leather, doubled and stitched stays, ³/₄-inch scolloped and stitched turuback, ³/₄-inch breeching straps, all round-edge fuish, round crupper.

BELLY BANDS—Either for wrapping around shafts or two flat, buggy style. LINES—1-inch track, round-edge finish, blacked on flesh side.

TRIMMINGS—Geuuine rubber wire terrets, hooks and shaft buckles, balance Davis rubber throughout.

SINGLE STRAP TRACK HARNESS, No. 717.

- BRIDLE-5% iuch, hox loops, with overcheck or round side reins, round sewed winker stays, layer on the crown, and patent-leather front.
- BREAST COLLAR—2 iuch, heavy single strap, with 1½-iuch traces attached, with long scolloped layers, and box-loop tugs.
- GIG SADDLE—3 iuch, hand laced, Iow set terrets, patent-leather swell skirts, leather jockeys, I iuch, doubled aud stitched back bands, %-iuch billet.

SHAFT TUGS-With box loops, doubled and stitched, uo billet.

- BREECHING-134 inch, heavy single strap, 3-ring round stays, with box loops, scolloped and stitched turnback, with round crupper.
- BELLY BAND-2 iuch, single strap, with Griffith buckle.
- LINES—% x 1½ inch, black, spring eud, rouud-edge finish. No martingale. TRIMMINGS—Nickel band, wire ball, nickel King, or full imitation rubber throughout.

THIS GRADE IS SUITABLE FOR HILLY COUNTRY, INSTEAD OF COLLAR AND HAMES.



SINGLE TRACK HARNESS, No. 1 V.

- BRIDLE-% inch, box loops, overcheck, stitched blinds, fancy front, half check bit.
- BREAST COLLAR-3 inch, curved or V shaped, 1¼-inch traces attached, ends doubled and stitched.
- GIG SADDLE—Single-strap saddle, leather jockeys, enameled-leather bottom
- BREECHING-3-ring stays, ¼-inch solid turnback, scolloped and stitched round dock, %-inch breeching straps.
- SHAFT TUGS-Doubled and stitched, 1½ inch, flat belly bands, Griffith buckle.

LINES-1 inch, loop end. No martingale.

TRIMMINGS-Nickel or inuitation rubber throughout.

AN ELEGANTLY SMOOTH-FINISHED GRADE. BREAST COLLAR SHAPED TO PREVENT CHOKING.



SINGLE TRACK HARNESS, No. 2 V.

- BRIDLE—5% inch, box loops, overcheck, stitched blinds, fancy front, square metal rosettes, half-check bit.
- BREAST COLLAR—3 inch, curved or V shaped, 1¼-inch traces attached, ends doubled and stitched.
- GIG SADDLE—3 inch, single strap, euameled-leather bottom, leather jockeys, terrets set low.

BREECHING—I¼-iuch wide, 3-ring round stays, ¾-iuch solid turnback, scolloped and stitched, round crupper, ¾-iuch breeching straps.
 SHAFT TUGS—Doubled and stitched; heavy, wide, flat belly bands.
 LINES—r inch, black, flat, loop end.
 MARTINGALE—Flat, with black rings.
 TRIMMINGS—Choice of any, including genuine rubber.

Price No. 719, per set. Nickel, Breast Collar\$16 00 Genuine Rubber, Breast Collar 18 65



SINGLE STRAP TRACK HARNESS, No. 719.

- BRIDLE —% inch, hox loops, double overcheck with bar, patent-leather nose piece, patent-leather front, round sewed winker stays, patent-leather blinds.
- BREAST COLLAR-2 inch, curved heavy single strap, with 114-inch traces attached, with doubled and stitched ends and scolloped points, box-loop tugs.
- GIG SADDLE-3 inch, hand laced, with covered seat, pateut-leather jockeys, low set track tree, French swell skirts, enameled-leather bottom. SHAFT TUGS-Doubled and stitched, raised center, no billet.
- BREECHING-13/ inch, heavy single strap, with sewed round breeching stays, with box loops, turnback, long scollop, doubled and stitched,
- with round crupper. BELLY BAND- $2\frac{1}{2}$ inch, single strap, to wrap around the shafts. LINES- $\frac{1}{2}$ x1 $\frac{1}{2}$ inch, spring billet ends, round-edge finish. Martingale, flat, with rubber rings.
- TRIMMINGS-Choice of fancy nickel or imitation rubber or genuine rubber trimmings throughout.


QUEEN'S TASTE Price per set. Genuine Rubber, Breast Collar,\$21-25



SINGLE STRAP HARNESS "QUEEN'S TASTE."

- BRIDLE-1/2 inch, hox loop, with nose piece, overcheck, round stays and patent-leather front.
- LINES-All black, % x 1% inch, spring end, with bordered handparts.
- BREAST COLLAR-Single strap, 13/4 inch, with 11/4-inch double headed layer, 13/8-inch single strap traces attached, scolloped layer ends.
- GIG SADDLE-2½ inch, half track, covered seat, pateut-leather jockeys, swell skirt, enameled-leather bottom, hand laced.
- SHAFT TUGS-Box loops, doubled and stitched, raised center, handsomely finished.
- **BREECHING**—Single strap, 1% inch, with 1%-inch double beaded layer, flat stays, ¾-inch turnbacks and breeching straps, ¾-iuch flat hip straps, soft round crupper.
- BELLY BAND-Maud S, single strap, with raised layer.
- TRIMMINGS-Full genuine rubber throughout.

- 13 -



"QUEEN CITY" SINGLE BUGGY HARNESS.

- BRIDLE-% inch, with horseshoe patent-leather blinds, round reins and winker stays, chain front, with gag chain, nickel metal loops.
- SADDLE-Single strap, 3-inch tree, 4-inch patent-leather stuffed pad, with enameled-leather bottom, 1-inch back band, %-inch billets.
- BREECHING-1½ inch, flat, doubled and stitched, %-inch split hip straps, ¾ x 1¼-inch waved turnback with buckle docks, % breeching straps.


SHAFT TUGS-1 inch, doubled and stitched, with metal loops.

TRACES-Doubled and stitched, 11/8 inch.

LINES-All black, flat, 1 inch.

HAME TUGS—With nickel terret, 1½-inch tugs with nickel metal loops. COLLAR—All kip huggy.

This harness is made with nickel metal loops throughout, and is a very attractive grade.




LIGHT DOUBLE BUGGY HARNESS, No. 324.

- BRIDLES % inch, round reins and winker stays or overchecks, chain fronts, stitched blinds.
- HAMES—Nickel or imitation rubber, with Smith's patent box-loop hame tugs, I-inch and spread rings.
- PADS-Straight end "Daisy," patent-leather bottom, with padded housings, fancy inserted chain.
- TURNBACKS -3/4 inch, scolloped and stitched, with round dock.

TRACES—I inch, doubled and stitched, 6½ feet. LINES—All fair leather, $\% \times t^{1}\%_{0}$ spring end. POLE STRAPS—I¼ inch, choke straps. No hip straps. COLLARS—All kip bnggy.

TRIMMINGS—Nickel band, wire ball, imitation rubber gilt lined. Additional charge for hip straps. See "Extras."



BOUND TO SUIT YOU.



DOUBLE SURREY OR BAROUCHE HARNESS, No. 326 1/2.

· 16 -

- $\mathsf{BRIDLES}-\%$ inch, hox loops, round reins and winker stays, heavy chain fronts.
- HAMES-Nickel or Davis rubber, with Smith's patent box-loop hame tngs, 1¼ iuch.
- PADS—Heavy swell end, with heavy swell chain underhousings, doubled and stitched trace hearers, %-inch scolloped and stitched turnbacks, with round cruppers, folded belly bands.

TRACES—1¼ inch, doubled and stitched, two-ply. POLE STRAPS—1¼ inch, plated buckles. LINES—Round, with 1½-inch flat handparts.

COLLARS-All kip.

TRIMMINGS-Heavy nickel band or Davis band throughout. No hip straps. Additional charge for hip straps. See "Extras."

•

I

•

.

